

**Prop 56 Behavioral Health Integration (BHI) Incentive Program metrics compared to PRIME, QIP and WPC
(as of 12/20/19)**

KEY: PRIME QIP WPC Currently considering for future QIP (not currently in PRIME or QIP)

Prop 56 BHI Project: *Basic Behavioral Health Integration*

Required Measures for the Behavioral Health Integration Package:

- NCQA
Screening for Unhealthy Alcohol Use
Pediatric and Adult
- CMS
Screening for Depression and Follow-Up Plan: Ages 12–17 (CDF-CH)
Pediatric
- CMS
Screening for Depression and Follow-Up Plan: Age 18 and Older (CDF AD)
Adult
- NCQA
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET-AD)
Pediatric and Adult
- NCQA
Antidepressant Medication Management (AMM-AD)
Adult

Applicant to select two or more additional measures to report from list below:

- NCQA
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP-CH)
Pediatric
- NCQA
Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC-CH) Pediatric
- NCQA
Follow-Up Care for Children Prescribed (ADHD) Medication (ADD-CH)
Pediatric
- NCQA
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA-AD) Adult
- PQA
Concurrent Use of Opioids and Benzodiazepines (COB-AD)
Adult
- NCQA
Pharmacotherapy for Opioid Use Disorder
Adult
- NCQA
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using
Antipsychotic Medications (SSD-AD)
Adult

**Prop 56 Behavioral Health Integration (BHI) Incentive Program metrics compared to PRIME, QIP and WPC
(as of 12/20/19)**

KEY: PRIME QIP WPC Currently considering for future QIP (not currently in PRIME or QIP)

- NCQA
Diabetes Care for People with SMI: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (HPCMI-AD)
Adult
 - NCQA
Medical Assistance With Smoking and Tobacco Use Cessation (MSC-AD)
Adult
 - NCQA
Follow Up After Hospitalization for Mental Illness: Ages 6–17 (FUH-CH)
Pediatric
 - NCQA
Follow Up After Hospitalization for Mental Illness: Age 18 and Older (FUH-AD)
Adult
 - NCQA
Follow Up After ED Visit for Alcohol and Other Drug Abuse or Dependence (FUA-AD)
Adult
 - NCQA
Follow Up After ED Visit for Mental Illness (FUM-AD)
Adult
 - NCQA
Comprehensive Diabetes Care (CDC)
Adult
 - NCQA
Controlling High Blood Pressure
Adult
-

Prop 56 BHI Project: *Maternal Access to Mental Health and Substance Use Disorder Screening and Treatment*

Required Measures for Maternal Mental Health and Substance Use Package

- CMS
Screening for Depression and Follow-Up Plan: Ages 12–17 (CDF-CH)
- CMS
Screening for Depression and Follow-Up Plan: Age 18 and Older (CDF-AD)
- NCQA
Screening for Unhealthy Alcohol Use
- NCQA
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET-AD)

**Prop 56 Behavioral Health Integration (BHI) Incentive Program metrics compared to PRIME, QIP and WPC
(as of 12/20/19)**

KEY: PRIME QIP WPC Currently considering for future QIP (not currently in PRIME or QIP)

Applicant to select one or more additional measures to report from list below

- NCQA
Antidepressant Medication Management (AMM-AD)
 - NCQA
Follow Up After Hospitalization for Mental Illness: Ages 6–17 (FUH-CH)
 - NCQA
Follow Up After Hospitalization for Mental Illness: Age 18 and Older (FUH-AD)
 - NCQA
Follow Up After ED Visit for Alcohol and Other Drug Abuse or Dependence (FUA-AD)
 - NCQA
Follow Up After Emergency Department Visit for Mental Illness (FUM-AD)
 - NCQA
Pharmacotherapy for Opioid Use Disorder
-

Prop 56 BHI Project: *Medication Management for Beneficiaries with Co-occurring Chronic Medical and Behavioral Diagnoses*

Required Children and Adolescent Measures for Medication Management Package

- NCQA
Follow-Up Care for Children Prescribed (ADHD) Medication (ADD-CH)
- NCQA
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP-CH)
- NCQA
Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC-CH)
- NCQA
Metabolic Monitoring for Children and Adolescents on Anti-Psychotic Medication
- NCQA
Pharmacotherapy for Opioid Use Disorder

Required Adult Measures for Medication Management Package

- NCQA
Antidepressant Medication Management (AMM-AD)
- PQA
Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD)
- NCQA
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA-AD)
- PQA
Concurrent Use of Opioids and Benzodiazepines (COB-AD)
- NCQA
Pharmacotherapy for Opioid Use Disorder

**Prop 56 Behavioral Health Integration (BHI) Incentive Program metrics compared to PRIME, QIP and WPC
(as of 12/20/19)**

KEY: PRIME QIP WPC Currently considering for future QIP (not currently in PRIME or QIP)

.....

Prop 56 BHI Project: *Diabetes Screening and Treatment for People with Serious Mental Illness*

Required Measures for Diabetes Screening and Treatment for People with Serious Mental Illness

- NCQA
Diabetes Screening for People W/ Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD-AD)
 - NCQA
Diabetes Care for People with SMI: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (HPCMI-AD)
 - NCQA
Comprehensive Diabetes Care (CDC)
-

Prop 56 BHI Project: *Follow Up after Hospitalization for Mental Illness*

Required Measures for Follow-Up after Hospitalization for Mental Illness Package:

- Child Core
NCQA
Follow Up After Hospitalization for Mental Illness: Ages 6–17 (FUH-CH)
 - Adult Core
NCQA
Follow Up After Hospitalization for Mental Illness: Age 18 and Older (FUH-AD)
-

Prop 56 BHI Project: *Follow-Up after Emergency Department Visit for Behavioral Health Diagnosis*

Required Measures for Follow Up after Emergency Department Visit Package:

- Adult Core
NCQA
Follow Up After ED Visit for Alcohol and Other Drug Abuse or Dependence (FUA-AD)
- Adult Core
NCQA
Follow Up After Emergency Department Visit for Mental Illness (FUM-AD)